

## SAFETY DATA SHEET

# Evolution Antibacterial Washing Up Liquid

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### Trade name

Evolution Antibacterial Washing Up Liquid

#### Product no.

EV4

#### Unique formula identifier (UFI)

JAC1-U0Y6-V002-5US2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Cleaning product, Biocide

Restricted to professional users.

#### Product code (A.I.S.E.)

##### Code

AISE-P201 / Dishwash product. Manual process.

#### Use descriptors (REACH)

Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
PC 8	Biocidal Products (e.g. Disinfectants, pest control)

#### Uses advised against

None known.

### 1.3. Details of the supplier of the safety data sheet

#### Company and address

##### Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon,

OX16 1RB

United Kingdom

Tel: +44(0) 1295 251 721

www.cleenol.com

#### E-mail

technical.enquiries@cleenol.co.uk

#### Revision

18/08/2023

#### SDS Version

1.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### 2.1. Classification of the substance or mixture

Skin Corr. 1B; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Acute 1; H400, Very toxic to aquatic life.

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

# CLEENOL

For a cleaner, safer world

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## 2.2. Label elements

### Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Very toxic to aquatic life with long lasting effects. (H410)

### Precautionary statement(s)

#### General

-

#### Prevention

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves. (P280)

Avoid release to the environment. (P273)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

#### Storage

-

#### Disposal

Dispose of contents/container in accordance with local regulation (P501)

### Hazardous substances

Alcohols, C12-14, ethoxylated

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16))

didecyldimethylammonium chloride

### Additional labelling

UFI: JAC1-U0Y6-V002-5US2

Active substance(s):

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) (9 g/100g)

didecyldimethylammonium chloride (0.4 g/100g)

## 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, C12-14, ethoxylated	CAS No.: 68439-50-9 EC No.: 500-213-3 UK-REACH: Index No.:	10-15%	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[19]
Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)	CAS No.: 68155-07-7 EC No.: 931-329-6 UK-REACH: Index No.:	10-15%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	[19]
Alkyl (C12-16) dimethylbenzyl	CAS No.: 68424-85-1	5-10%	Acute Tox. 4, H302	[19]

# CLEENOL

For a cleaner, safer world

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

ammonium chloride (ADBAC/BKC (C12-16))	EC No.: 270-325-2 UK-REACH: Index No.:		Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
didecyldimethylammonium chloride	CAS No.: 7173-51-5 EC No.: 230-525-2 UK-REACH: Index No.: 612-131-00-6	<1%	EUH071 [4] Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) Aquatic Chronic 2, H411

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

[4] Substance is listed in Annex I of the Prior Informed Consent Regulation (PIC, Regulation (EU) 649/2012).

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Keep only in original packaging.

#### Storage temperature

6 - 40°C

Dry, cool and well ventilated

#### Incompatible materials

No specific requirements

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

# CLEENOL

For a cleaner, safer world

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## 8.1. Control parameters

Glycerol

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

## DNEL

Alcohols, C12-14, ethoxylated

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	66.7 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	187 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	3.48 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	19.6 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	1.33 mg/kg bw/day

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16))

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	3.4 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5.7 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.64 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	3.96 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	3.4 mg/kg bw/day

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	56.2 µg/cm <sup>2</sup>
Long term – Local effects - Workers	Dermal	93.6 µg/cm <sup>2</sup>
Long term – Systemic effects - General population	Dermal	89.3 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	750 µg/kgbw/day
Long term – Systemic effects - General population	Inhalation	2.03 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	11.5 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	1.17 mg/kg bw/day

Glycerol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	132 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	220 mg/m <sup>3</sup>

## PNEC

Alcohols, C12-14, ethoxylated

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.4 µg/L
Freshwater sediment		89.5 µg/kg
Intermittent release (freshwater)		445 ng/L
Intermittent release (marine water)		44.5 ng/L
Marine water		340 ng/L
Marine water sediment		8.95 µg/kg
Sewage treatment plant		200 µg/L
Soil		16 µg/kg

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16))

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		420 ng/L
Freshwater sediment		68 mg/kg
Intermittent release (freshwater)		160 ng/L
Intermittent release (marine water)		207 ng/L
Marine water		96 ng/L
Marine water sediment		15.75 mg/kg
Sewage treatment plant		160 µg/L
Soil		1.66 mg/kg

## Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		7 µg/L
Freshwater sediment		230 µg/kg
Intermittent release (freshwater)		24 µg/L
Intermittent release (marine water)		2.4 µg/L
Marine water		700 ng/L
Marine water sediment		23 µg/kg
Sewage treatment plant		830 mg/L
Soil		32 mg/kg

## didecyldimethylammonium chloride

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1.1 µg/L
Freshwater sediment		61.86 mg/kg
Intermittent release (freshwater)		210 ng/L
Intermittent release (marine water)		21 ng/L
Marine water		110 ng/L
Marine water sediment		6.186 mg/kg
Sewage treatment plant		140 µg/L
Soil		1.4 mg/kg

## Glycerol

Route of exposure:	Duration of Exposure:	PNEC:
Sewage treatment plant		1 g/L

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

# CLEENOL

For a cleaner, safer world

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Apply standard precautions during use of the product. Avoid inhalation of vapours.

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

## Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

## Individual protection measures, such as personal protective equipment

### Generally

Use only UKCA marked protective equipment.

### Respiratory Equipment

Type	Class	Colour	Standards
No specific requirements			

### Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-



### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Butyl	0,3	> 120	EN374-2, EN374-3, EN388



### Eye protection

Work situation	Type	Standards
In the event of prolonged exposure or high concentrations	Safety glasses	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Yellowish

#### Odour / Odour threshold

Characteristic

#### pH

9 - 11

#### Density (g/cm<sup>3</sup>)

-

#### Relative density

1.004 (20 °C)

#### Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

#### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

#### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

#### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

#### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

##### Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

##### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

#### Solubility

##### Solubility in water

Very soluble

##### n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

##### Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information

##### Other physical and chemical parameters

No data available.

##### Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Storage in the open is not recommended.

### 10.5. Incompatible materials

No specific requirements

### 10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

##### Endocrine disrupting properties

Not applicable.

##### Other information

None known.

## SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### 12.6. Endocrine disrupting properties

Not applicable.

#### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.




#### EWC code

Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9 	III	Yes	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9 	III	Yes	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9 	III	Yes	See below for additional information.

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

#### Biocidal Products Regulations

Product type: PT4 - Food and feed area

#### Restrictions on use

-

#### Directions for use and dose rate

-

#### Additional information

-

#### Labelling of contents according to Detergents Regulation (EC) No 648/2004

15% - 30%

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

- Non-ionic surfactants  
< 5%
- Disinfectants

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

The Management of Health and Safety at Work Regulations 1999.  
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.  
Control of Major Accident Hazards (COMAH) Regulations 2015.  
In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.  
Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals as retained and amended in UK law.  
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.  
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.  
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.  
H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H318, Causes serious eye damage.  
H400, Very toxic to aquatic life.  
H410, Very toxic to aquatic life with long lasting effects.  
H411, Toxic to aquatic life with long lasting effects.  
H412, Harmful to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)  
PC 8 = Biocidal Products (e.g. Disinfectants, pest control)

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### The safety data sheet is validated by

Regulatory Chemist

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en